

# LA CROSSE CLOCK CO.

**15" Indoor | Outdoor Wall Clock**




Model: 404-3015TXS

DC: 022417

[www.lacrossetechnology.com/404-3015TXS](http://www.lacrossetechnology.com/404-3015TXS)

## Get Started

1. Remove battery cover (B) to access clock movement and battery compartment.
2. Insert 1 AA battery into the movement in the center of the clock.
3. Spin the time set wheel (C) to set the time.



## Position Clock

**Indoor:** Mount the clock on a wall with the hanger (A) on the back of the clock.

**Outdoor:** Choose a location with an overhang to protect the clock from the overhead sun or standing snow or rain. A shaded location will prevent inaccurate temperature readings. Mount the clock on a wall with the hanging hole on the back of the clock. Be sure the battery cover is on snug.

## Temperature and Humidity

The La Crosse Clock Co. wall clock has an analog sensor that measures surrounding temperature and humidity. The temperature information is displayed in degrees Fahrenheit. The thermometer and hygrometer are self adjusting and do not require a battery to operate. Allow 24 hours for self adjustment.

# Specifications

**Battery Requirements:** 1 AA (IEC LR6) required in movement  
(Alkaline recommended)

**Battery Life:** 1 battery; over 12 months

**Thermometer Variances:** +/- 2°F

**Hygrometer Variances:** +/- 10%

## Visit Us on Social Media



[http://bit.ly/LaxTech\\_YouTube](http://bit.ly/LaxTech_YouTube)



[http://bit.ly/LaxTech\\_Facebook](http://bit.ly/LaxTech_Facebook)



[http://bit.ly/LaxTech\\_Twitter](http://bit.ly/LaxTech_Twitter)



[http://bit.ly/LaxTech\\_Pinterest](http://bit.ly/LaxTech_Pinterest)

## Care and Maintenance

- Always purchase the correct size and grade of battery most suitable for intended use.
- Clean the battery contacts and also those of the device prior to battery installation.
- Ensure the battery is installed with correct polarity (+ and -).
- Remove battery from equipment that is not to be used for an extended period of time.
- Promptly remove expired battery.

## Limited Warranty Information

La Crosse McCormick, LLC. provides a 2-year limited warranty (from the date of the original consumer purchase), on this product against manufacturing defects in materials and workmanship. Send \$5.00 with date and proof of purchase to the following address. Please include the model number of your product and your complete address and phone number.

La Crosse McCormick, Warranty Department, 2830 S. 26th St.,  
La Crosse, WI 54601

[www.lacrossetechnology.com/support](http://www.lacrossetechnology.com/support)